

22. List of Publications

1. Alam M, Hasan NA, Ahsan S, Pazhani GP, Tamura K, Ramamurthy T, Gomes DJ, Rahman SR, Islam Akhtar F, Shinoda S, Watanab H, Faruque SM and Nair GB. Phenotypic and molecular characteristics of *Escherichia coli* isolated from aquatic environment of Bangladesh. *Microbiol Immunol.* 2006; 50: 359-730.
2. Alam MM, Kobayashi N, Ishino M, Ahmed MS, Ahmed MU, Paul SK, Muzumdar BK, Hussain Z, Wang YH, Naik TN. Genetic analysis of an ADRV-N-like novel rotavirus strain B219 detected in a sporadic case of adult diarrhea in Bangladesh. *Arch Virol* 2007; 152: 199-208.
3. Bal B, Ahmed SI, Mukherjee R, Chakraborty S, Niyogi SK, Talukdar A, Chakraborty N and Sarkar K. HIV Infection Among Transport Workers Operating Through Siliguri-Guwahati National Highway, India. *J Int Assoc Physicians AIDS Care* 2007; 6: 56-60.
4. Barman P, Ghosh S, Samajdar S, Mitra U, Dutta P, Bhattacharya SK, Krishnan T, Kobayashi N, Naik TN. RT-PCR based diagnosis revealed importance of human group B rotavirus infection in childhood diarrhoea. *J Clin Virol* 2006; 36: 222-227.
5. Bhardwaj R, Majumdar S, Ganguly NK, Taneja N, Dutta S, Ramamurthy T, Chakraborti A. Characterization of adhesin variants in Indian isolates of enteroaggregative *Escherichia coli*. *FEMS Microbiol Lett* 2006; 258: 274-283.
6. Bhattacharya MK, Naik TN, Palit A and Bhattacharya SK. Impact of a Harm-reduction Programme on Soft tissue Infection among Injecting Drug users of Kolkata, India. *J Health Popul Nutr* 2006; 24: 121-122.
7. Bhattacharya R, Sahoo GC, Nayak MK, Bhattacharya MK, Mitra U, Sur D, Naik TN, Bhattacharya SK, Krishnan T. Detection of Genogroup I and II human picobirnaviruses showing small genomic RNA profile causing acute watery diarrhoea among children in Kolkata, India. *Infect Genet Evol* 2007; 7: 229-328.
8. Bhattacharya R, Sahoo GC, Nayak MK, Ghosh S, Dutta P, Bhattacharya MK, Mitra U, Gangopadhyay D, Dutta S, Niyogi SK, Saha DR, Naik TN, Bhattacharya SK, Krishnan T. Molecular epidemiology of human astrovirus infections in Kolkata, India. *Infect Genet Evol* 2006; 6: 425-435.
9. Bhattacharya R, Sahoo GC, Nayak MK, Saha DR, Sur D, Naik TN, Bhattacharya SK and Krishnan T. Molecular epidemiology of human picobirna viruses among children of a slum community in Kolkata, India. *Infection, Genetics and Evolution* 2006; 6: 453-458.
10. Bhattacharya SK, Sur D, Karbwang J. Childhood visceral leishmaniasis. *Indian J Med Res* 2006; 123: 353-356.
11. Bhattacharya SK, Sur D, Sinha PK, Karbwang J. Elimination of leishmaniasis (kala-azar) from the Indian subcontinent is technically feasible & operationally achievable. *Indian J Med Res* 2006; 123: 195-196.
12. Bhattacharya T, Chatterjee S, Maiti D, Bhadra RK, Takeda Y, Nair GB, Nandy RK. Molecular analysis of the rstR and orfU genes of the CTX prophages integrated in the small chromosomes of environmental *Vibrio cholerae* non-O1, non-O139 strains. *Environ Microbiol* 2006; 8: 526-534.
13. Bhowmick TS, Das M, Roy N and Sarkar BL. Phenotypic and molecular typing of *Vibrio cholerae* O1 and O139 isolates from India. *J Infect* 2007; 54: 475-482.

14. Biswas A, Banerjee P, Mukherjee G. and Biswas T. Porin of *Shigella dysenteriae* activates mouse peritoneal macrophage through Toll-like receptors 2 and 6 to induce polarized type I response. *Mol Immunol* 2007; 44: 812-820.
15. Chakraborty R, Sinha S, Mukhopadhyay AK, Asakura M, Yamasaki S, Bhattacharya SK, Nair GB and Ramamurthy T. Species-specific identification of *Vibrio fluvialis* by PCR targeted to the conserved transcriptional activation and variable membrane tether regions of toxR gene. *J Med Microbiol* 2006; 55: 805-808.
16. Chattopadhyay D, Naik TN. Antivirals of ethnomedicinal origin: structure-activity relationship and scope. *Mini Rev Med Chem* 2007; 7: 275-301.
17. Chowdhury A, Santra A, Bhattacharjee K, Ghatak S, Saha DR and Dhali GK. Mitochondrial oxidative stress and permeability transition in Isoniazid and Rifampicin induced liver injury in Mice. *J Hepatol* 2006; 45: 117-126.
18. Das P, Saha Roy S, Mitra Dhar K, Dutta P, Bhattacharya MK, Sen A, Ganguly S, Bhattacharya SK, Altaf. A. Lal and Lihua X. Molecular Characterization of *Cryptosporidium spp.* in children in Kolkata, India. *J Clin Microbiol* 2006; 44: 11.
19. Das VNR, Pandey K, Kumar N, Hassal SM, Bimal S, Lal CS, Siddique NA and Bhattacharya SK. Visceral leishmaniasis and tuberculosis in patients with HIV co-infection Southeast Asian. *J Trop Med Pub Hlth* 2006; 37: 18-21.
20. Datta S, Saha DR, Ghosh D, Mazumder T, Bhattacharya S, Mazumder S. Concentration of arsenic interferes with the proliferation of hepatocytes and induces in vivo apoptosis in *Clarias batrachus* L. *Comparative Biochemistry and Physiology, Part C: Toxicology and Pharmacology* 2007; 145: 339-349.
21. Dey R, Majumder N, Bhattacharjee S, Majumdar SB, Banerjee R, Ganguly S, Das P, Majumdar S. Leishmania donovani Induced Ceramide As The Key Mediator of Akt Dephosphorylation In Murine Macrophages: Role of PKC {zeta} and Phosphatase. *Infect Immun* 2007; 75: 2136-2142.
22. Dutta B, Ghosh R, Sharma NC, Pazhani GP, Taneja N, Raychowdhuri A, Sarkar BL, Mondal SK, Mukhopadhyay AK, Nandy RK, Bhattacharya MK, Bhattacharya SK, Ramamurthy T. Spread of cholera with newer clones of *Vibrio cholerae* O1 El Tor, serotype Inaba, in India. *J Clin Microbiol* 2006; 44: 3391-3393.
23. Dutta M and Ghosh AN. Physicochemical characterization of ElTor Vibriophage S20. *Intervirology* 2007; 50: 264-272.
24. Dutta S, Sur D, Manna B, Sen B, Deb AK, Deen JL. Evaluation of new-generation serologic tests for the diagnosis of typhoid fever: data from a community-based surveillance in Calcutta, India. *Diagn Microbiol Infect Dis* 2006; 56: 359-365.
25. Ghosh A, Saha DR, Hoque KM, Asakuna M, Yamasaki S, Koley H, Das SS, Chakrabarti MK, Pal A. Enterotoxigenicity of mature 45-kilodalton and processed 35-kilodalton forms of hemagglutinin protease purified from a cholera toxin gene-negative *Vibrio cholerae* non-O1, non-O139 strain. *Infect Immun* 2006; 74: 2937-2946.
26. Ghosh S, Varghese V, Samajdar S, Bhattacharya SK, Kobayashi N, Naik TN. Molecular characterization of a porcine Group A rotavirus strain with G12 genotype specificity. *Arch Virol* 2006; 151: 1329-1334.
27. Ghosh S, Varghese V, Sinha M, Kobayashi N, Naik TN. Evidence for interstate transmission and increase in prevalence of bovine group B rotavirus strains with a novel VP7 genotype among diarrhoeic calves in Eastern and Northern states of India. *Epidemiol Infect* 2007; 12: 1-7.

28. Ghosh S, Varghese V, Samajdar S, Bhattacharya SK, Kobayashi N, Naik TN. Evidence for independent segregation of the VP6- and NSP4- encoding genes in porcine group A rotavirus G6P[13] strains. *Arch Virol* 2007; 152: 423-429.
29. Gupta DN, Mandal SK, Sarkar BL, Mukherjee S and Bhattacharya SK. An ElTor cholera outbreak amongst tribal population in Tripura. *J Commun Dis.* 2004; 36: 271-276.
30. Gupta DN, Rajendran K, Mondal SK, Ghosh S and Bhattacharya SK. Operational feasibility of implementing community-based zinc supplementation: impact on childhood diarrhoeal morbidity. *The Pediatric Infectious Diseases Journal* 2007; 26: 306-310.
31. Hinenoya A., Nagita M. Asakura, Tsukamoto T, Ramamurthy T, Nair GB, Takeda Y and Yamasaki S. Cytolethal distending toxin (Cdt)-producing *Escherichia coli* isolated from a child with bloody diarrhea in Japan. *Microbiol Immunol* 2007; 51: 435-438.
32. Huhulescu, S., A. Indra,. A. Stoeger, W. Ruppitsch, B. L. Sarkar and F. Allerberger. 2007. Occurrence of *Vibrio cholerae* serogroups other than O1 and O139 in Austria. *Wien. Klin. Wochenschr.* 119: 235-241.
33. Kishore K, Kumar V, Kesari S, Dinesh DS, Kumar AJ, Das P and Bhattacharya SK. Vector control in leishmaniasis. *Indian J Med Res* 2006; 123: 467-472.
34. Kundu P, Mukhopadhyay AK, Patra R, Banerjee A, Berg DE, Swarnakar S. Cag pathogenicity island-independent up-regulation of matrix metalloproteinases-9 and -2 secretion and expression in mice by *Helicobacter pylori* infection. *J Biol Chem* 2006; 281: 34651-34662.
35. Mahbub Alam M, Kobayashi N, Ishino M, Naik TN, Taniguchi K. Analysis of genetic factors related to preferential selection of the NSP1 gene segment observed in mixed infection and multiple passage of rotaviruses. *Arch Virol* 2006; 151: 2149-2159.
36. Manna B, Deb A, Bhattacharya SK. Diarrhoeal Diseases. In: Database for Diseases Burden Estimation- Malaria, Filariasis, Dengue & Diarrhoeal Diseases, pp. 71-91. Indian Council of Medical Research (in collaboration with WHO India Office), New Delhi, 2006.
37. Maiti D, Das B, Saha A, Nandy RK, Nair GB, Bhadra RK. Genetic organization of pre-CTX and CTX prophages in the genome of an environmental *Vibrio cholerae* non-O1, non-O139 strain. *Microbiol* 2006; 152: 3633-3641.
38. Mantri CK, Mohapatra SS, Ramamurthy T, Ghosh R, Colwell RR, Singh DV. Septaplex PCR assay for rapid identification of *Vibrio cholerae* including detection of virulence and int SXT genes. *FEMS Microbiol Lett* 2006; 265: 208-214.
39. Mukhopadhyaya A, Mahalanabis D, Chakrabarti MK. Role of *Shigella flexneri* 2a 34kDa outer membrane protein in induction of protective immune response. *Vaccine* 2006; 24: 6028-6036.
40. Mullick R, Sengupta S, Sarkar K, Saha MK, Chakraborty S. Phylogenetic analysis of env, gag and tat genes of HIV type 1 detected among the injecting drug users in West Bengal, India. *AIDS Res Hum Retroviruses* 2006; 22: 1293-1299.
41. Mwansa JC, Mwaba J, Lukwesa C, Bhuiyan NA, Ansaruzamman M, Ramamurthy T, Alam M, Nair GB. Multiply antibiotic-resistant *Vibrio cholerae* O1 biotype El Tor strains emerge during cholera outbreaks in Zambia. *Epidemiol Infect* 2006; 23: 1-7.

42. Nair GB, Ramamurthy T, Bhattacharya SK, Dutta B, Takeda Y, Sack DA. Global dissemination of *Vibrio parahaemolyticus* serotype O3:K6 and its serovariants. Clin Microbiol Rev 2007; 20: 39-48.
43. Naha N., Manna B. Mechanism of lead induced effects on human spermatozoa after occupational exposure. **Kathmandu Univ Med J. 2007**; 5: 85-94.
44. Okuda J, Ramamurthy T and Yamasaki S. The potent antibacterial activity of sifloxacin against fluoroquinolone-resistant clinical isolates of *Vibrio cholerae* O1. Microbiol Immunol 2007; 51: 467-469.
45. Palit A, Dutta S, Ghosh S, Sur D, Bhattacharya MK and Bhattacharya SK. Increasing prevalence of *Salmonella enterica* serotype paratyphi-A in patients with enteric fever in a periurban slum setting of Kolkata, India. Int J Environ Health Res 2006; 16: 455-459.
46. Palit A, Dutta S, Sur D, Bhattacharya MK, Bhattacharya SK. Salmonella typhimurium in Kolkata: evidence of intra-familial transmission. J Health Popul. Nutr. 2007 Mar; 25(1):116-7.
47. Patra M, Pandey SK, Ramamurthy T, Singh DV, Das SK. Characterization of cytotoxin-producing *Aeromonas caviae* (strain HT10) isolated from a sulfur spring in Orissa, India. Lett Appl Microbiol 2007; 44: 338-341.
48. Rahman M, Bhuiyan NA, Kuhn I, Ramamurthy T, Rahman M, Mollby R and Nair GB. Biochemical fingerprinting of *Vibrio parahaemolyticus* by the PhenePlate system: comparison between pandemic and non-pandemic serotypes. Epidemiol Infect 2006; 134: 985-989.
49. Saha A, Deb R, Shah S, Ramamurthy T, Shinoda S, Mukhopadhyay AK and Bhadra RK. A PCR based identification of *Vibrio cholerae*, its biotypes and closely related *Vibrio mimicus* targeting the chromosomal origin of replication (oriCI_{VC}) of *V. cholerae*. FEMS Microbiol Lett 2006; 257: 84-91.
50. Samajdar S, Varghese V, Barman P, Ghosh S, Mitra U, Dutta P, Bhattacharya SK, Narasimham MV, Panda P, Krishnan T, Kobayashi N, Naik TN. Changing pattern of human group A rotaviruses: emergence of G12 as an important pathogen among children in eastern India. J Clin Virol 2006; 36: 183-188.
51. Sarkar K, Bal B, Mukherjee R, Niyogi SK, Saha MK and Bhattacharya SK. Epidemic of HIV coupled with HCV among injecting drug users of Himalayan West Bengal, eastern India, bordering Nepal, Bhutan & Bangladesh. Subst Use Misuse 2006; 41: 341-352.
52. Sarkar K, Bal B, Mukherjee R, Saha MK, Chakraborty S, Niyogi SK, Bhattacharya SK. Young age is a risk factor for HIV among female sex worker. An experience from India, J Infection 2006; 53: 255-259.
53. Sen A, Chatterjee NS, Md. Ali Akbar, Nandi N and Das P. 29kDa thiol-dependent peroxidase of *Entamoeba histolytica* is a factor involved in pathogenesis and survival of the parasite during oxidative stress” in the Eukaryotic Cell. 2007; 6 : 664-673.
54. Sen B, Dutta B, Chatterjee S, Bhattacharya MK, Nandy RK, Mukhopadhyay AK, Gangopadhyay BDN, Bhattacharya SK, and Ramamurthy T. The first outbreak of acute diarrhea due to a pandemic strain of *Vibrio parahaemolyticus* O3:K6 in Kolkata, India. Int J Infect Dis 2006; 11: 185-187.

55. Shamma MA, Neri P, Koley Hemanta, Batchu RB, Bertheau RC, Munshi V, Prabhala R, Fulciniti M, Tai YT, Treon SP, Goyal RK, Anderson KC, Munshi NC. Specific killing of multiple myeloma cells by (-)-epigallocatechin-3-gallate extracted from green tea: biologic activity and therapeutic implications. *Blood* 2006; 108: 2804-2810.
56. Shi, L., K. Fujihara, T. Sato, H. Ito, P. Garg, R. Chakraborty, T. Ramamurthy, G. B. Nair, Y. Takeda, and S. Yamasaki. 2006. Distribution and characterization of integrons in various serogroups of *Vibrio cholerae* strains isolated from diarrheal patients between 1992 and 2000 in Kolkata, India. *J. Med. Microbiol.* 55: 575-583.
57. Sinha PK, Bimal S, Singh SK, Pandey K, Gangopadhyay DN and Bhattacharya SK. Pre- & post-treatment evaluation of immunological features in Indian Visceral leishmaniasis (VL) patients with HIV co-infection. *Indian J Med Res* 2006; 123: 197-202.
58. Sinha PK, Ranjan A, Singh VP, Das VNR, Pandey K, Kumar N, Verma N, Lal CS, Sur D, Manna B and Bhattacharya SK. Visceral leishmaniasis (kala-azar) – the Bihar (India) perspective. 2006; *J Infect* 53: 60-64.
59. Sinha S, Pazhani GP, Sen B and Niyogi SK. Molecular characterization of *Salmonella enterica* serotype *Worthington* isolated from childhood diarrhoea cases in Kolkata, India. *Jpn J Infect Dis* 2006; 59: 275-276.
60. Srinivasan VB, Virk RK, Kaundal A, Chakraborty R, Datta B, Ramamurthy T, Mukhopadhyay AK, Ghosh A. Mechanism of drug resistance in clonally related clinical isolates of *Vibrio fluvialis* isolated in Kolkata, India. *Antimicrob Agents Chemother* 2006; 50: 2428-2432.
61. Sudhakar S, Srinivas T, Palit A, Kar SK, Bhattacharya SK. Mapping of risk prone areas of kala-azar (Visceral leishmaniasis) in parts of Bihar State, India: an RS and GIS approach. *J Vector Borne Dis* 2006; 43: 115-122.
62. Sundar S, Jha TK, Thakur CP, Bhattacharya SK, Rai M. Oral miltefosine for the treatment of Indian Visceral leishmaniasis. *Trans Roy Soc Trop Med Hyg* 2006; 100S: S26-S33.
63. Sur D, Bhattacharya SK. Acute Diarrhoeal Diseases- An approach to management. *J Indian Med Assoc* 2006; 104: 220-223.
64. Sur D, Cook J, Chatterji S, Deen J, Whittington D. Increasing the transparency of stated choice studies for policy analysis: Designing experiments to produce raw response graphs. *J Policy Analysis Management* 2006; 26: 189-99.
65. Sur D, Mukhopadhyay SP. Prevalence of thalassaemia trait in the state of West Bengal. *J Indian Med Assoc* 2006; 104: 11-15.
66. Sur D, Sarkar BL, Manna B, Deen J, Datta S, Niyogi SK, Ghosh AN, Deb A, Kanungo S, Palit A, Bhattacharya SK. Epidemiological, microbiological & electron microscopic study of a cholera outbreak in a Kolkata slum community. *Indian J Med Res* 2006; 123: 31-36.
67. Sur D, Von Seidlein L, Manna B, Dutta S, Deb AK, Sarkar BL, Kanungo S, Deen JL, Ali M, Kin DR, Gupta VK, Ochiai RL, Tsuzuki A, Acosta CJ, Clemens JD, Bhattacharya SK. The malaria and typhoid fever burden in the slums of Kolkata, India: data from a prospective community-based study. *Trans R Soc Trop Med Hyg* 2006; 100: 725-733.

68. Varghese V, Ghosh S, Das S, Bhattacharya SK, Krishnan T, Karmakar P, Kobayashi N, Naik TN. Characterization of VP1, VP2 and VP3 gene segments of a human rotavirus closely related to porcine strains. *Virus Genes* 2006; 32: 241-247.
69. Yamasaki S, Asakura M, Tsukamoto T, Faruque SM, Deb R and Ramamurthy T. Cytotoxic distending toxin (CDT): Genetic diversity, structure, and role in diarrheal disease. *Toxin Rev* 2006; 25: 61-88.